

1 - IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY

Product Name: ICP 906

Revision: 07 November 2012 **N° de FDS** 1247-6

Date of issue: 04 May 2008

Company:

Calvo Sealing, S.L.
Calle Galileo, nº 8 (P. I. Can Estella)
08635 San Esteve de Sesrovires

Barcelona - Spain Tel: +34 937715910 Fax: +34 937715319

Supplier

Use:

Interbraided packing manufactured from high quality flax yarns added with PTFE dispersion and running-in lubricant. An exceptional packing for use in dynamic applications, such as centrifugal pumps and reciprocating type pumps above 120 °C (248°C) and pH 5-10.

2 - HAZARDS IDENTIFICATION

None expected in industrial use. PTFE is nonhazardous at ambient temperatures. At temperatures above 260°C (500°F), toxic decompositions products may be emitted. Due to toxic decomposition, avoid smoking (wash hands to avoid transfer to tobacco products) when handling PTFE products.





3 - COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Ingredients	% wt	CAS nº	EC nº	NU nº	Symbol	R-Phrases	
-----------------------	------	--------	-------	-------	--------	-----------	--

This product is not classified as a "harzadous material" in normal use as defined in:

- * European Directives 67/548/EEC, 99/45/EC and Regulation (EC) no 1272/2008
- * 29 CFR 1910.1200, 1915, 1916, 1917
- * Massachusetts Right-To-Know Laz, Chapter 40, Acts and Resolves of 1983 (M.G.L. O. 111F)

4 - FIRST AID MEASURES

<u>Inhalation:</u> If overcome by decomposition fumes, remove to fresh air. If not breathing, administer artificial respiration. Contact physician.

Skin contact: Not applicable

Eye Contact: Not applicable

Ingestion: Not applicable

Advice to physician: Treat symptoms





5 – FIRE-FIGHTING MEASURES

Extinguishing Methods: Use extinguisher appropriate for the surroundign fire.

<u>Unusual Fire and Explosion Hazards:</u> Product will burn in an atmosphere of >95% oxygen, when an ignition source is present.

<u>Special Fire Fighting Measures:</u> Recommended Firefighters wear self-contained breathing apparatus to protect against hazardous decomposition products.

HAZCHEM: 1 Z

6 – ACCIDENTAL RELEASE MEASURES

<u>Personal Precautions:</u> Utilize exposure controls and personal protection as specified in Section 8.

Environmental Precautions: No special requirements.

Methods of Clean Up: No special required. Nontoxic.

7 - HANDLING AND STORAGE

<u>Handling:</u> Do not smoke when handling PTFE products. Wash hands after handling to avoid transfer to tobacco products.

Storage: Store in cool, dry area.





8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Hazardous Ingredients	OSHA		ACGIH TLV		CHILE (LPP)	
	ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
none						

Respiratory Protection: Not required

Ventilation: No special requirements. If using under extreme heat, use local exhaust.

Protective Gloves: Not normally needed.

Eye Protection: Not normally needed.

Other: None

9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid	Odour	Odorless
Colour	Brown	Vapour pressure at 20°C	Not applicable
Initial bolting point	Not applicable	% aromatics by weight	Not applicable
Melting point	Not applicable	pH	Not applicable
% volatile (by volume)	Not applicable	Weight per volume	Not applicable
Flash point	Not applicable	Density	Not applicable
Method	None	Coefficient (water/oil)	Not applicable
Viscosity	Not applicable	Vapour density (air =1)	Not applicable
Autoignition temp.	Not applicable	Rate of evaporation (ether =1)	Not applicable
Explosion limits	Not applicable	Solubility in water	Insoluble





10 - STABILITY AND REACTIVITY

Stability: Stable

Hazardous polymerization: Will not occur.

<u>Hazardous Decomposition Products:</u> Carbon Monoxide, Carbon Dioxide, trace amounts of Hydrogen fluoride, Perfluorocarbon olefins and other toxic fumes may be evolved above 260°C (500°F).

Conditions to avoid: Extreme heat above 260°C (500°F).

<u>Materials to avoid:</u> Oxidizers, Fluorine, Chlorine Trifluoride and related compunds and molten alkali metals.

11 - TOXICOLOGICAL INFORMATION

<u>Primary Route of Exposure Under:</u> Inhalation (PTFE decomposition fumes) and skin contact.

<u>Acute Effects:</u> PTFE is nontoxic at ambient temperatures. However, small quantities of toxic gases may be produced at temperatures above 260 °C (500°C), due to decomposition. Inhalation of these decomposition products may cause temporary flu-like symptoms.

Chronic effects: None

<u>Other information:</u> As per 29 CFR 1910.1200 (Hazard Communication), this product contains no carcinogens as listed in the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC) or the Occupational Safety and Health Administration (OSHA).





12 - ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

<u>Mobility:</u> Solid. INsoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

<u>Degradability:</u> PTFE: Material is chemically unreactive and nonbiodegradable.

Accumulation: Not determined

Ecotoxicity: Not expected to be harmful to aquatic organism.

13 - DISPOSAL CONSIDERATIONS

Unused product is not a regulated waste (not classified as harzadous according to 91/689/ EEC). Check local, state and national/federal regulations and comply with the most stringent requirement.

EWC Code: 20 01 11

14 - TRANSPORT INFORMATION

TDG: Nonhazardous, not regulated

IMDG: Nonhazardous, not regulated

IATA/ICAO: Nonhazardous, not regulated

ADR/RID: Nonhazardous, not regulated



15 - REGULATORY INFORMATION

European Classification: none

R - Phrase(s):

S-Phrase(s):

Precautionary and First Aid

Measure(s): none

Other information: none

16- OTHER INFORMATION

US EPA SARA TITLE III

312 Hazards

313 Chemicals:

none

none

Hazardous Materials Identification System (HMIS)

4= Severe Hazard

3= Serious Hazard

2= Moderate Hazard

1= Slight Hazard 0= Minimal Hazard

c = See Section 8

HEALTH 0
FLAMMABILITY 0
REACTIVITY 1
Personal Protection *

Risk phrases in section 3: None

Changes to the MSDS in this revision: Sections 3 and 12

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.

